



January, 2008

for  
United States Geological Survey  
905 Nati

---


---

---



---

---









Run Hyp2000: Phase Fi



\*\*\*\*\*U"5"446;"":02:""8;064""92044"/20:7"2022\*\*\*\*\*

Twp"J{r4222<"Rjcuq"Hkng<"l8;0Z\_"Xgn"Oqf<"l4\_""???"ZZ/Hkng<"8;0ZZ"  
"J[RQKFXGTUG"4222"\*3214228"XGTUKQP+"TWP"QP"Oqp"Pqx"34"35<73<34"4229""""TWP"NCDGN?"

~~\*\*\*\*\*FCV\*\*\*\*\*QTKIKP\*\*\*\*\*NCV\*\*\*\*\*NQPI"Y""FGRVJ""OP""OE""ON"ICR""TOU""GTJ""GT\"S""~~  
42933222018 0001

"



---


---






Figure 2: Map of strong-motion stations of the New England Seismic Network (NESN) in operation during the period of this report.

[Return to Table of Contents](#)

## NESN Quarterly Seismicity Map




Figure 3: Earthquake epicenters located by the NESN during the period of this report.

[Return to Table of Contents](#)

---

### NESN Cumulative





Figure 4: Seismicity for period October, 1975 - December, 2007.

[Return to Table of Contents](#)

### Acknowledgments

Our map database has been developed in-house using ArcView and in part basemap data provided by ESRI, Inc., USGS GTOPO30 Elevation Data, and TIGER/Line '94, '95, and '97 (US Census Bureau) spatial data.

### References

Chaplin, M.P., Taylor, S.R., and Toksöz, M.N. (1980), A coda length E M

I dXUhYX. 's| `m% ž &\$%%  
A U]bhU]bYX`Vm `K Yghcb`CVgYfj Uhcfm

[5VWqg\[V\]Tm\]p`7cbhUW\]p: YYXVUW`](#)  
¥ `&\$%+ `H\Y`Hfi ghYYg`cZ 6cghcb`7c`Y[ Y" [@Y\[U](#)